ELSEVIER

Nuclear Engineering and Design 156 (1995) 415–417

Nuclear Engineering and Design

Author Index of Volume 156

Akino, K., see Kobayashi, J. 156 (1995) 17

Babál, B., see Komloš, K. 156 (1995) 195
Bandyopadhyay, T.K., Determining aging coefficient and time-dependent losses and deformations of prestressed members with due consideration of percentage of steel 156 (1995) 287
Bernaudat, C., Mechanical behaviour modelling of fractured nuclear fuel pellets 156 (1995) 373
Borgerhoff, M., see Schimmelpfennig, K. 156 (1995) 181

Creus, G.J., see Masuero, J.R. 156 (1995) 209

Dameron, R.A., Y.R. Rashid and H.T. Tang, Leak area and leakage rate prediction for probabilistic risk assessment of concrete containments under severe core conditions 156 (1995) 173
Davies, D.R., A.C. Roberts and D. Ness, A review of the design and construction of the Sizewell B pressurized water reactor building containment structures 156 (1995) 259
Dong-Il, C. and C. Won-Kyu, Flexural fracture and fatigue behavior of steel-fiber-reinforced concrete structures 156 (1995) 201

Eligehausen, R., see Ožbolt, J. 156 (1995) 249
England, G.L. and N. Khoylou, Moisture flow in concrete under steady state non-uniform temperature states: experimental observations and theoretical modelling 156 (1995) 83

Ford, I.J., Rupture and fragmentation of pressurized pipes and fast reactor fuel pins 156 (1995) 401
Frémond, M. and B. Nedjar, Damage in concrete: the unilateral phenomenon 156 (1995) 323
Fukuzawa, K., see Numao, T. 156 (1995) 139

Greiner, U. and W. Ramm, Air leakage characteristics in cracked concrete 156 (1995) 167
Gupta, A., see Majumdar, P. 156 (1995) 147

Hasegawa, T., see Yamazaki, N. 156 (1995) 121
Haselwander, B., W. Jonas and H. Riech, Material equations for steel fibre reinforced concrete members 156 (1995) 235
Hayakawa, S., see Okamoto, K. 156 (1995) 159
Hayashida, T., see Minowa, C. 156 (1995) 269
Hirai, T., M. Itoh, T. Nishikawa and K. Takei, Study on strength of thick reinforced concrete slab with opening 156 (1995) 1
Hirakawa, K., see Yamazaki, N. 156 (1995) 121
Hiramoto, M., see Yamazaki, N. 156 (1995) 121
Hotta, H. and K. Takiguchi, Influence of drying and water supplying after drying on tensile strength of cement mortar 156 (1995) 219

Imamura, A., see Saito, H. 156 (1995) 277
Ishimura, K., M. Odajima, T. Uchiyama and T. Kei, Study on reactor building structure using ultrahigh strength materials 156 (1995) 39
Itoh, M., see Hirai, T. 156 (1995) 1

Jernkvist, L.O., see Massih, A.R. 156 (1995) 383
Jernkvist, L.O., A model for predicting pellet–cladding interaction-induced fuel rod failure 156 (1995) 393
Jonas, W., see Haselwander, B. 156 (1995) 235
Joseph, J., see Schuster, I. 156 (1995) 343

Kamimura, R., see Okamoto, K. 156 (1995) 159
Kasai, Y., see Saito, H. 156 (1995) 277
Kei, T., see Ishimura, K. 156 (1995) 39
Khoury, G.A., Strain components of nuclear-reactor-type concretes during first heat cycle 156 (1995) 313
Khoylou, N., see England, G.L. 156 (1995) 83
Kikuchi, R., see Yamazaki, N. 156 (1995) 121
Kim, J.-J., see Kwak, K.-H. 156 (1995) 63
Kobayashi, J., T. Korenaga, A. Shibata, K. Akino and T. Taira, Effect of small openings on strength and stiffness of shear walls in reactor buildings 156 (1995) 17

Kogoma, I., see Minowa, C. 156 (1995) 269
Komloš, K., B. Babál and T. Nürnbergerová, Hybrid fibre-reinforced concrete under repeated loading 156 (1995) 195
Korenaga, T., see Kobayashi, J. 156 (1995) 17
Kwak, K.-H. and J.-J. Kim, Fatigue strength in polymer-reinforced concrete beams under cyclic loading 156 (1995) 63

Lemaignan, C., see Schuster, I. 156 (1995) 343
Lien, H.-P. and F.H. Wittmann, Coupled heat and mass transfer in concrete elements at elevated temperatures 156 (1995) 109
Lin, L., see Wang, Q. 156 (1995) 75
Linga Murty, K. and J. Ravi, Transitions in creep mechanisms and creep anisotropy in Zr–1Nb–1Sn–0.2Fe sheet 156 (1995) 359

Majumdar, P., A. Gupta and A. Marchertas, Moisture propagation and resulting stress in heated concrete walls 156 (1995) 147
Marchertas, A., see Majumdar, P. 156 (1995) 147
Maruta, M., M. Yamazaki and T. Miyashita, A study on shear behavior of reinforced concrete beams subjected to long-term heating 156 (1995) 29
Massih, A.R., T. Rajala and L.O. Jernkvist, Analyses of pellet–cladding mechanical interaction behaviour of different ABB Atom fuel rod designs 156 (1995) 383
Masuero, J.R. and G.J. Creus, Crack growth initiation in concrete-like materials in the presence of creep 156 (1995) 209
Mihashi, H., see Numao, T. 156 (1995) 139
Minowa, C., N. Ogawa, T. Hayashida, I. Kogoma and T. Okada, Dynamic and static collapse tests of reinforced-concrete columns 156 (1995) 269
Miyashita, T., see Maruta, M. 156 (1995) 29
Miyashita, T., see Yamazaki, N. 156 (1995) 121
Mochida, T., see Yamazaki, N. 156 (1995) 121
Mutoh, A., see Yamazaki, N. 156 (1995) 121

Nedjar, B., see Frémond, M. 156 (1995) 323
Ness, D., see Davies, D.R. 156 (1995) 259
Nishikawa, T., see Hirai, T. 156 (1995) 1
Nobile, L., Micro-damage induced anisotropy in concrete 156 (1995) 229
Numao, T., H. Mihashi and K. Fukuzawa, Moisture migration and drying properties of hardened cement paste and mortar 156 (1995) 139
Nürnbergerová, T., see Komloš, K. 156 (1995) 195

Oberpichler, R., Study on the influence of steel-fibre-reinforced concrete on the behaviour of anchorage for steel liners 156 (1995) 189
Odajima, M., see Ishimura, K. 156 (1995) 39
Ogawa, N., see Minowa, C. 156 (1995) 269
Okada, T., see Minowa, C. 156 (1995) 269
Okamoto, K., S. Hayakawa and R. Kamimura, Experimental study of air leakage from cracks in reinforced concrete walls 156 (1995) 159
Okamoto, S., see Saito, H. 156 (1995) 277
Ožbolt, J. and R. Eligehausen, Modeling of reinforced concrete by the non-local microplane model 156 (1995) 249

Rajala, T., see Massih, A.R. 156 (1995) 383
Ramm, W., see Greiner, U. 156 (1995) 167
Rashid, Y.R., see Dameron, R.A. 156 (1995) 173
Ravi, J., see Linga Murty, K. 156 (1995) 359
Riech, H., see Haselwander, B. 156 (1995) 235
Roberts, A.C., see Davies, D.R. 156 (1995) 259

Saito, H., A. Imamura, M. Takeuchi, S. Okamoto, Y. Kasai, H. Tsubota and M. Yoshimura, Loading capacities and failure modes of various reinforced-concrete slabs subjected to high speed loading 156 (1995) 277
Saito, K., see Yamazaki, N. 156 (1995) 121
Schimmelpfennig, K. and M. Borgerhoff, Development and application of a material law for steel-fibre-reinforced concrete with regard to its use for pre-stressed concrete reactor vessels 156 (1995) 181
Schuster, I., C. Lemaignan and J. Joseph, Testing and modelling the influence of irradiation on iodine-induced stress corrosion cracking of Zircaloy-4 156 (1995) 343
Shann, S.H. and L.F. Van Swam, Influence of manufacturing process on the in-reactor creep anisotropy of stress-relieved Zircaloy-2 cladding 156 (1995) 351
Shibata, A., see Kobayashi, J. 156 (1995) 17
Sugiyama, K., see Yamazaki, N. 156 (1995) 121

Taira, T., see Kobayashi, J. 156 (1995) 17
Takei, K., see Hirai, T. 156 (1995) 1
Takeuchi, M., see Saito, H. 156 (1995) 277
Takiguchi, K., see Hotta, H. 156 (1995) 219
Tang, H.T., see Dameron, R.A. 156 (1995) 173
Tsubota, H., see Saito, H. 156 (1995) 277

Uchiyama, T., see Ishimura, K. 156 (1995) 39
Ueda, M., see Yamazaki, N. 156 (1995) 121

Van Swam, L.F., see Shann, S.H. 156 (1995) 351

Wang, Q., G. Zhao and L. Lin, Ductility of high strength reinforced concrete columns 156 (1995) 75
Wittmann, F.H., see Lien, H.-P. 156 (1995) 109
Won-Kyu, C. see Dong-Il, C. 156 (1995) 201

Yamazaki, M., see Maruta, M. 156 (1995) 29
Yamazaki, M., see Yamazaki, N. 156 (1995) 121
Yamazaki, N., M. Yamazaki, T. Mochida, A. Mutoh, T. Miyashita, M. Ueda, T. Hasegawa, K. Sugiyama, K. Hirakawa, R. Kikuchi, M. Hiramoto and K. Saito, Structural behavior of reinforced concrete structures at high temperatures 156 (1995) 121
Yoshimura, M., see Saito, H. 156 (1995) 277

Zhao, G., see Wang, Q. 156 (1995) 75

ELSEVIER

Nuclear Engineering and Design 156 (1995) 419–420

Fusion Engineering and Design

Subject Index of Volume 156

Engineering mechanics

Testing and modelling the influence of irradiation on iodine-induced stress corrosion cracking of Zircaloy-4, I. Schuster, C. Lemaignan and J. Joseph 156 (1995) 343
Transitions in creep mechanisms and creep anisotropy in Zr–1Nb–1Sn–0.2Fe sheet, K.L. Murty, J. Ravi and Wiratmo 156 (1995) 359
Mechanical behaviour modelling of fractured nuclear fuel pellets, C. Bernaudat 156 (1995) 373
A model for predicting pellet–cladding interaction-induced fuel rod failure, L.O. Jernqvist 156 (1995) 393

Materials properties

Influence of manufacturing process on the in-reactor creep anisotropy of stress-relieved Zircaloy-2 cladding, S.H. Shann and L.F. Van Swam 156 (1995) 351
Transitions in creep mechanisms and creep anisotropy in Zr–1Nb–1Sn–0.2Fe sheet, K.L. Murty, J. Ravi and Wiratmo 156 (1995) 359
Mechanical behaviour modelling of fractured nuclear fuel pellets, C. Bernaudat 156 (1995) 373
A model for predicting pellet–cladding interaction-induced fuel rod failure, L.O. Jernqvist 156 (1995) 393
Rupture and fragmentation of pressurized pipes and fact reactor fuel pins, I.J. Ford 156 (1995) 401

Mechanical design, component fabrication and testing

Testing and modelling the influence of irradiation on iodine-induced stress corrosion cracking of Zircaloy-4, I. Schuster, C. Lemaignan and J. Joseph 156 (1995) 343
Analyses of pellet–cladding mechanical interaction behaviour of different ABB Atom fuel rod designs, A.R. Massih, T. Rajala and L.O. Jernkvist 156 (1995) 383
Rupture and fragmentation of pressurized pipes and fact reactor fuel pins, I.J. Ford 156 (1995) 401

Structural design, construction methods and testing

Study on strength of thick reinforced concrete slab with opening, T. Hirai, M. Itoh, T. Nishikawa and K. Takei 156 (1995) 1
Effect of small openings on strength and stiffness of shear walls in reactor buildings, J. Kobayashi, T. Korenaga, A. Shibata, K. Akino and T. Taira 156 (1995) 17
A study on shear behavior of reinforced concrete beams subjected to long-term heating, M. Maruta, M. Yamazaki and T. Miyashita 156 (1995) 29
Study on reactor building structure using ultrahigh strength materials, K. Ishimura, M. Odajima, T. Uchiyama and T. Kei 156 (1995) 39
Fatigue strength in polymer-reinforced concrete beams under cyclic loading, K.-H. Kwak and J.-J. Kim 156 (1995) 63
Ductility of high strength reinforced concrete columns, Q. Wang, G. Zhao and L. Lin 156 (1995) 75
Moisture flow in concrete under steady state non-uniform temperature states: experimental observations and theoretical modelling, G.L. England and N. Khoylou 156 (1995) 83
Coupled heat and mass transfer in concrete elements at elevated temperatures, H.-P. Lien and F.H. Wittmann 156 (1995) 109
Structural behavior of reinforced concrete structures at high temperatures, N. Yamazaki, M. Yamazaki, T. Mochida, A. Mutoh, T. Miyashita, M. Ueda, T. Hasegawa, K. Sugiyama, K. Hirakawa, R. Kikuchi, M. Hiramoto and K. Saito 156 (1995) 121
Moisture migration and drying properties of hardened cement paste and mortar, T. Numao, H. Mihashi and K. Fukuzawa 156 (1995) 139

Moisture propagation and resulting stress in heated concrete walls, P. Majumdar, A. Gupta and A. Marchertas 156 (1995) 147
Experimental study of air leakage from cracks in reinforced concrete walls, K. Okamoto, S. Hayakawa and R. Kamimura 156 (1995) 159
Air leakage characteristics in cracked concrete, U. Greiner and W. Ramm 156 (1995) 167
Leak area and leakage rate prediction for probabilistic risk assessment of concrete containments under severe core conditions, R.A. Dameron, Y.R. Rashid and H.T. Tang 156 (1995) 173
Development and application of a material law for steel-fibre-reinforced concrete with regard to its use for pre-stressed concrete reactor vessels, K. Schimmelpfennig and M. Borgerhoff 156 (1995) 181
Study on the influence of steel-fibre-reinforced concrete on the behaviour of anchorage for steel liners, R. Oberpichler 156 (1995) 189
Hybrid fibre-reinforced concrete under repeated loading, K. Komloš, B. Babál and T. Nürnbergerová 156 (1995) 195
Flexural fracture and fatigue behavior of steel-fiber-reinforced concrete structures, D.-I. Chang and W.-K. Chai 156 (1995) 201
Crack growth initiation in concrete-like materials in the presence of creep, J.R. Masuero and G.J. Creus 156 (1995) 209
Influence of drying and water supplying after drying on tensile strength of cement mortar, H. Hotta and K. Takiguchi 156 (1995) 219
Micro-damage induced anisotropy in concrete, L. Nobile 156 (1995) 229
Material equations for steel fibre reinforced concrete members, B. Haselwander, W. Jonas and H. Riech 156 (1995) 235
Modeling of reinforced concrete by the nonlocal microplane model, J. Ožbolt and R. Eligehausen 156 (1995) 249
A review of the design and construction of the Sizewell B pressurized water reactor building containment structures, D.R. Davies, A.C. Roberts and D. Ness 156 (1995) 259
Dynamic and static collapse tests of reinforced-concrete columns, C. Minowa, N. Ogawa, T. Hayashida, I. Kogoma and T. Okada 156 (1995) 269
Loading capacities and failure modes of various reinforced-concrete slabs subjected to high speed loading, H. Saito, A. Imamura, M. Takeuchi, S. Okamoto, Y. Kasai, H. Tsubota and M. Yoshimura 156 (1995) 277
Determining aging coefficient and time-dependent losses and deformations of prestressed members with due consideration of percentage of steel, T.K. Bandyopadhyay 156 (1995) 287
Strain components of nuclear-reactor-type concretes during first heat cycle, G.A. Khoury 156 (1995) 313
Damage in concrete: the unilateral phenomenon, M. Frémond and B. Nedjar 156 (1995) 323

Isotope engineering

Analyses of pellet–cladding mechanical interaction behaviour of different ABB Atom fuel rod designs, A.R. Massih, T. Rajala and L.O. Jernkvist 156 (1995) 383